

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"4800553".pn.	US-PGPUB; USPAT	OR	ON	2008/12/04 10:59
L2	58	720/695.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/04 11:13
L3	31	720/696.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/04 11:13
L4	41	720/697.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/04 11:13
L5	40	720/700.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/04 11:13
L6	186	369/264.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/04 11:13
L7	2	"19920987"	FPRS; EPO; DERWENT	OR	ON	2008/12/04 11:36
L8	6	"2316219"	FPRS; EPO; DERWENT	OR	ON	2008/12/04 11:40
L10	112243	(hub or deck\$2 or turntable\$2 or spindle\$2 or stage \$2 or platform\$2 or clamp) with (adjust\$4 or tun \$3 or set\$3 or correct\$3 or compensate\$3 or manipulat\$4 or adapt\$5 or level \$4 or regulat\$3 or align\$4 or fit\$3 or fix\$4 or alter\$5 or orient\$5) with (axis or shaft or rotat\$4 or spindle or motor) with (position or distance or inclinat \$4 or angle or slop \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:03

L12	12316	((conic\$4 or cone\$2 or taper\$3 or annul\$4 or circ\$4 or cylind\$5) near2 (hole\$2 or bore\$2 or opening\$2)) near3 (hub\$2 or shaft\$2 or turntable\$2 or spindle\$2)	US-PGPUB; USPAT	OR	ON	2008/12/04 12:08
L13	2117	((conic\$4 or cone\$2 or taper\$3) near2 (hole\$2 or bore\$2 or opening\$2)) near3 (hub\$2 or shaft\$2 or turntable\$2 or spindle\$2)	US-PGPUB; USPAT	OR	ON	2008/12/04 12:08
L17	144	10 with 12	US-PGPUB; USPAT	OR	ON	2008/12/04 12:09
L18	5637	turntable\$2 with (adjust\$4 or tun\$3 or set\$3 or correct\$3 or compensate\$3 or manipul\$4 or adapt\$5 or level\$4 or regulat\$3 or align\$4 or fit\$3 or fix\$4 or alter\$5 or orient\$5) with (axis or shaft or rotat\$4 or spindle or motor) with (position or distance or inclinat\$4 or angle or slop\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:23
L19	0	18 same 13	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:25
L20	13	18 and 13	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:26
L26	290	turntable with adjust\$4 with (axis or shaft) with (position or distance or inclinat\$4 or angle or slop\$3)	US-PGPUB; USPAT	OR	ON	2008/12/04 12:43

L27	70	turntable with ((axis or shaft) near4 adjust\$4 near4 (position or distance or inclinat \$4 or angle or slop \$3))	US-PGPUB; USPAT	OR	ON	2008/12/04 12:49
L28	9	("4796140" "5241530" "5758408" "5761794" "5825746" "5995480" "6249504" "6330220").PN. OR ("6877164"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:42
L29	4	("3988024" "4153257" "4805054" "5748406").PN. OR ("6128268"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:42
L30	18	("4138663" "4441178" "4933927" "5043973" "5228023" "5627810").PN. OR ("5825746"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:50

12/ 4/ 2008 1:59:26 PM

C:\Documents and Settings\cgarcia\My Documents\EAST\Workspaces\10575310.wsp